


MCV



MCV 260L

Designed To Lead.. Built To Last





Chassis

Category	Midi Bus
Chassis	OF-917 RF
GVW(kg)	9600
Chassis components	
Engine	4D34i BS III (Euro3)
Cylinders/displacement (cm ³)	4 CYL /3.9ltr,inline
Output (kw)	125Kw (170 hp) @2500rpm
Torque (Nm)	520Nm@1500rpm
Transmission	
Clutch	B8080 , single disc , dry plate , hydraulic actuated
Gearbox	M036S6,synchromesh
Brake system	
Service Brake	Drum Brake on front & rear wheels , Dual Circuit, Full air system
Parking Brake	spring loaded rear brake chambers with air release
Suspension	
Front axle	3600 Kg. loaded with Semi-elliptical leaf springs & shock absorbers,
Rear axle	6000 Kg. loaded with Semi-elliptical leaf springs & shock absorbers,
Steering	Rane HFB64
Wheel rim	6.00X17.5
Tires	215/75 R17.5
Fuel tank capacity	200 Liters



Body

Dimensions	
Overall length (mm)	9,485
Overall width (mm)	2,400
Overll height (mm) ⁽¹⁾	2,970
Overll height with A/C (mm)	3,100
Wheelbase (mm)	4,800
Internal height (mm):	
Luggage space (m ³)	6
Standard Body Features ⁽²⁾	Luxury
Capacity	
Total passengers (max)	32
Standard specs.	Luxury
Floor type	Raised floor
Driver Door	Standard (Hinged)
Number of doors	2(passenger, driver)
Type of pass. Door	Plug
Door actuation	Electro-pneumatic
Windscreen	One piece
Side windows	Fixed
Rear window	Standard
Mirrors	2 electrically opertated & heated rear view mirrors + one for saloon
Roof hatches	One (Emergency exit)
A/C system	A/C with air ducts ,direct drive
Type of seats	Reclined high back
Upholstery	velvet
Back rest accessories	handle+ashtray+Service table+magazine net
Time clock	Digital LED Display
Interior lighting	Led Continous light
Entertainment electronics	Radio/CD & speakers (standard)
Parcel rack	Standard
Driver partition	Luxury type
Passenger door partition	Luxury type
Roof grab rail	None
Fog Lights	In Front Bumper
Optional Features ⁽³⁾	Fridge
	Front Box
	DVD & one monitor



www.mcv-eg.com